



**BOSCH**

# THE BEST YOUR TOOL CAN GET

**EXPERT Accessory Range**

[bosch-professional.com](http://bosch-professional.com)

**Bosch Professional Accessories**



**EXPERT**  
ACCESSORY RANGE

# THE BEST YOUR TOOL CAN GET

- Our new top performance range for all trades
- Longer, tougher, faster: Up to 100× better performance\*
- Advanced technologies for the toughest applications

## EXPERT

### ACCESSORY RANGE





## NEW PACKAGING

The new packaging design makes the key information about our accessories clear and easy to find


## BENEFIT

The benefit icon shows the key benefit of the product – you can easily tell if the accessory is best for durability, speed, or precision




## TECHNOLOGY BEHIND THE BENEFIT

Bosch Technology icons point out our most advanced technologies



## MATERIAL PICTURES

High-quality images show the materials you can process with the accessory



## EXPERT STRIPE

Clearly identifies the performance class of the accessory



\* Bosch EXPERT products vs. Bosch standard products



EXPERT Concrete Drill Bits	<b>6</b>
EXPERT SDS Clean Concrete Drill Bits and Adapter	<b>10</b>
EXPERT Multi Material Drill Bits	<b>14</b>
EXPERT Tile Drill Bits	<b>17</b>
EXPERT Wood Drill Bits	<b>18</b>
EXPERT Diamond Pipe Cut Wheel Cutting Discs	<b>20</b>
EXPERT Diamond Metal Wheel Cutting Discs and Grinding Heads	<b>22</b>
EXPERT Diamond Cutting Discs	<b>23</b>
EXPERT Carbide Multi Wheel Cutting Discs	<b>24</b>
EXPERT Jigsaw Blades	<b>25</b>
EXPERT Reciprocating Saw Blades	<b>28</b>
EXPERT Hole Saws	<b>32</b>
EXPERT Accessories for Oscillating Multitool	<b>35</b>
EXPERT Sanding	<b>40</b>
EXPERT Sanding Blocks and Pads	<b>57</b>
Circular Saw Blades	<b>58</b>

# LONG LIFE DRILLING REINFORCED CONCRETE


## EXPERT SDS max-8X / SDS plus-7X Concrete Drill Bits



Exceptionally durable drill bit tip  
with Bosch Carbide Technology

Punch through reinforced concrete  
with a 4-cutter full carbide head

Highly resistant drill tip connection  
thanks to Bosch's special welding  
process



\*SDS max-8X vs. Bosch SDS max-4 drill bit, SDS plus-7X vs. Bosch SDS plus-3 drill bit



# EXPERT SDS MAX-8X CONCRETE DRILL BITS

## Single Unit Packs

Diameter	Working Length	Total Length	Part Number
12 mm	200 mm	340 mm	2 608 900 201
	400 mm	540 mm	2 608 900 202
	600 mm	740 mm	2 608 900 203
	800 mm	940 mm	2 608 900 204
14 mm	200 mm	340 mm	2 608 900 207
	400 mm	540 mm	2 608 900 208
	600 mm	740 mm	2 608 900 209
	800 mm	940 mm	2 608 900 210
16 mm	200 mm	340 mm	2 608 900 214
	400 mm	540 mm	2 608 900 215
	600 mm	740 mm	2 608 900 216
	800 mm	940 mm	2 608 900 217
18 mm	200 mm	340 mm	2 608 900 221
	400 mm	540 mm	2 608 900 222
	600 mm	740 mm	2 608 900 223
	800 mm	940 mm	2 608 900 224
20 mm	200 mm	320 mm	2 608 900 228
	400 mm	520 mm	2 608 900 229
	600 mm	720 mm	2 608 900 230
	800 mm	920 mm	2 608 900 231
22 mm	200 mm	320 mm	2 608 900 233
	400 mm	520 mm	2 608 900 234
	600 mm	720 mm	2 608 900 235
	800 mm	920 mm	2 608 900 236
24 mm	200 mm	320 mm	2 608 900 238
	400 mm	520 mm	2 608 900 239
25 mm	200 mm	320 mm	2 608 900 240
	400 mm	520 mm	2 608 900 241
	600 mm	720 mm	2 608 900 242
	800 mm	920 mm	2 608 900 243
26 mm	200 mm	320 mm	2 608 900 245
	400 mm	520 mm	2 608 900 246
28 mm	200 mm	320 mm	2 608 900 247
	400 mm	520 mm	2 608 900 248
	600 mm	720 mm	2 608 900 249
30 mm	200 mm	320 mm	2 608 900 252
	400 mm	520 mm	2 608 900 253
32 mm	200 mm	320 mm	2 608 900 254
	400 mm	520 mm	2 608 900 255
	600 mm	720 mm	2 608 900 256
	800 mm	920 mm	2 608 900 257

## Single Unit Packs

Diameter	Working Length	Total Length	Part Number
11/16"	8"	13"	2 608 901 353
	16"	21"	2 608 901 354
13/16"	16"	21"	2 608 901 359
1 1/8"	8"	13"	2 608 901 368
	16"	20"	2 608 901 369
	24"	28"	2 608 901 370
1 1/4"	31"	36"	2 608 901 371
	8"	13"	2 608 901 372
	16"	20"	2 608 901 373
	24"	28"	2 608 901 374
	31"	36"	2 608 901 375

## 5-pcs Packs

Diameter	Working Length	Total Length	Part Number
12 mm	200 mm	340 mm	2 608 900 260
16 mm	200 mm	340 mm	2 608 900 261
	400 mm	540 mm	2 608 900 262
18 mm	200 mm	340 mm	2 608 900 263
	400 mm	540 mm	2 608 900 264
20 mm	200 mm	320 mm	2 608 900 265
	400 mm	520 mm	2 608 900 266
22 mm	400 mm	520 mm	2 608 900 267
24 mm	400 mm	520 mm	2 608 900 268
25 mm	400 mm	520 mm	2 608 900 269
32 mm	400 mm	520 mm	2 608 900 270



EXPERT Concrete Drill Bits | 7

# EXPERT SDS PLUS-7X CONCRETE DRILL BITS

## Single Unit Packs

Diameter	Working Length	Total Length	Part Number
3.5 mm	50 mm	115 mm	2 608 900 055
	100 mm	165 mm	2 608 900 056
4.0 mm	50 mm	115 mm	2 608 900 057
	100 mm	165 mm	2 608 900 058
5.0 mm	50 mm	115 mm	2 608 900 059
	100 mm	165 mm	2 608 900 060
	150 mm	215 mm	2 608 900 061
	200 mm	265 mm	2 608 900 062
	250 mm	315 mm	2 608 900 063
	400 mm	465 mm	2 608 900 064
5.5 mm	50 mm	115 mm	2 608 900 065
	100 mm	165 mm	2 608 900 066
	150 mm	215 mm	2 608 900 067
	200 mm	265 mm	2 608 900 068
	250 mm	315 mm	2 608 900 069
	400 mm	465 mm	2 608 900 070
6.0 mm	50 mm	115 mm	2 608 900 071
	100 mm	165 mm	2 608 900 072
	150 mm	215 mm	2 608 900 073
	200 mm	265 mm	2 608 900 074
	250 mm	315 mm	2 608 900 075
	400 mm	465 mm	2 608 900 076
6.5 mm	50 mm	115 mm	2 608 900 077
	100 mm	165 mm	2 608 900 078
	150 mm	215 mm	2 608 900 079
	200 mm	265 mm	2 608 900 080
	250 mm	315 mm	2 608 900 081
	400 mm	465 mm	2 608 900 082
7.0 mm	50 mm	115 mm	2 608 900 083
	100 mm	165 mm	2 608 900 084
	150 mm	215 mm	2 608 900 085
	200 mm	265 mm	2 608 900 086
8.0 mm	50 mm	115 mm	2 608 900 087
	100 mm	165 mm	2 608 900 088
	150 mm	215 mm	2 608 900 089
	200 mm	265 mm	2 608 900 090
	250 mm	315 mm	2 608 900 091
	300 mm	365 mm	2 608 900 092
9.0 mm	100 mm	165 mm	2 608 900 094
	150 mm	215 mm	2 608 900 095
10.0 mm	50 mm	115 mm	2 608 900 096
	100 mm	165 mm	2 608 900 097
	150 mm	215 mm	2 608 900 098
	200 mm	265 mm	2 608 900 099
	250 mm	315 mm	2 608 900 100
	300 mm	365 mm	2 608 900 101
	400 mm	465 mm	2 608 900 102
	550 mm	600 mm	2 608 900 103
	950 mm	1.000 mm	2 608 900 104

## Single Unit Packs

Diameter	Working Length	Total Length	Part Number
11.0 mm	100 mm	165 mm	2 608 900 105
	150 mm	215 mm	2 608 900 106
	200 mm	265 mm	2 608 900 107
12.0 mm	100 mm	165 mm	2 608 900 108
	150 mm	215 mm	2 608 900 109
	200 mm	265 mm	2 608 900 110
	250 mm	315 mm	2 608 900 111
	300 mm	365 mm	2 608 900 112
	400 mm	465 mm	2 608 900 113
13.0 mm	550 mm	600 mm	2 608 900 114
	950 mm	1.000 mm	2 608 900 115
	100 mm	165 mm	2 608 900 116
	150 mm	215 mm	2 608 900 117
	200 mm	265 mm	2 608 900 118
14.0 mm	100 mm	165 mm	2 608 900 119
	150 mm	215 mm	2 608 900 120
	200 mm	265 mm	2 608 900 121
	250 mm	315 mm	2 608 900 122
	300 mm	365 mm	2 608 900 123
	400 mm	465 mm	2 608 900 124
	550 mm	600 mm	2 608 900 125
	950 mm	1.000 mm	2 608 900 126
	15.0 mm	100 mm	165 mm
200 mm		265 mm	2 608 900 128
400 mm		465 mm	2 608 900 129
16.0 mm	150 mm	215 mm	2 608 900 130
	200 mm	265 mm	2 608 900 131
	250 mm	315 mm	2 608 900 132
	400 mm	465 mm	2 608 900 133
	550 mm	600 mm	2 608 900 134
	950 mm	1.000 mm	2 608 900 135
17.0 mm	150 mm	215 mm	2 608 900 136
	250 mm	315 mm	2 608 900 137
18.0 mm	200 mm	250 mm	2 608 900 138
	400 mm	450 mm	2 608 900 139
	550 mm	600 mm	2 608 900 140
	950 mm	1.000 mm	2 608 900 141
20.0 mm	200 mm	250 mm	2 608 900 142
	400 mm	450 mm	2 608 900 143
	550 mm	600 mm	2 608 900 144
	950 mm	1.000 mm	2 608 900 145
22.0 mm	200 mm	265 mm	2 608 900 146
	400 mm	450 mm	2 608 900 147
	550 mm	600 mm	2 608 900 148
	950 mm	1.000 mm	2 608 900 149
24.0 mm	400 mm	450 mm	2 608 900 150
25.0 mm	400 mm	450 mm	2 608 900 151
	550 mm	600 mm	2 608 900 152
	950 mm	1.000 mm	2 608 900 153
28.0 mm	400 mm	450 mm	2 608 900 154
30.0 mm	400 mm	450 mm	2 608 900 155



## 10-pcs Packs

Diameter	Working Length	Total Length	Part Number
4.0 mm	50 mm	115 mm	2 608 900 156
5.0 mm	50 mm	115 mm	2 608 900 157
	100 mm	165 mm	2 608 900 158
6.0 mm	50 mm	115 mm	2 608 900 159
	100 mm	165 mm	2 608 900 160
	150 mm	215 mm	2 608 900 161
	200 mm	265 mm	2 608 900 162
6.5 mm	100 mm	165 mm	2 608 900 163
	150 mm	215 mm	2 608 900 164
	200 mm	265 mm	2 608 900 165
7.0 mm	100 mm	165 mm	2 608 900 166
8.0 mm	100 mm	165 mm	2 608 900 167
	150 mm	215 mm	2 608 900 168
	200 mm	265 mm	2 608 900 169
10.0 mm	100 mm	165 mm	2 608 900 170
	150 mm	215 mm	2 608 900 171
	200 mm	265 mm	2 608 900 172
12.0 mm	100 mm	165 mm	2 608 900 173
	150 mm	215 mm	2 608 900 174
	200 mm	265 mm	2 608 900 175
14.0 mm	200 mm	265 mm	2 608 900 176
16.0 mm	200 mm	265 mm	2 608 900 177

## 30-pcs Packs

Diameter	Working Length	Total Length	Part Number
5.0 mm	50 mm	115 mm	2 608 900 178
	100 mm	165 mm	2 608 900 179
6.0 mm	50 mm	115 mm	2 608 900 180
	100 mm	165 mm	2 608 900 181
	150 mm	215 mm	2 608 900 182
8.0 mm	100 mm	165 mm	2 608 900 183
	150 mm	215 mm	2 608 900 184
	200 mm	265 mm	2 608 900 185
10.0 mm	100 mm	165 mm	2 608 900 186
	150 mm	215 mm	2 608 900 187
	200 mm	265 mm	2 608 900 188
12.0 mm	150 mm	215 mm	2 608 900 189
	200 mm	265 mm	2 608 900 190

## 50-pcs Packs

Diameter	Working Length	Total Length	Part Number
6.0 mm	100 mm	165 mm	2 608 900 191
8.0 mm	100 mm	165 mm	2 608 900 192
10.0 mm	100 mm	165 mm	2 608 900 193
	150 mm	215 mm	2 608 900 194

## Sets

Description	Diameter	Part Number
3 pcs	6.0/8.0/10.0 mm	2 608 900 196
5 pcs	5.0/6.0/6.0/ 8.0/10.0 mm	2 608 900 197
	6.0/6.0/8.0/ 8.0/10.0 mm	2 608 900 198
7 pcs	5.0/6.0/6.0/8.0/ 8.0/10.0/12.0 mm	2 608 900 195



# ADVANCED DUST REDUCTION DRILLING IN REINFORCED CONCRETE

## EXPERT SDS Clean max-8X / plus-8X Concrete Drill Bits

**PARTICLE CONTROL**


UP TO 25x\*

DUST REDUCTION

Highly efficient dust removal with Bosch Particle Control

Robust dust extractor pipe for clean holes

SDS Clean connector is easy to mount and detach



\*vs. Bosch SDS max-8X / plus-7X drill bits respectively



# EXPERT SDS CLEAN MAX-8X DRILL BITS

## Drill Bit and Connector Sets



Diameter	Working Length	Total Length	Part Number
20 mm	400 mm	650 mm	2 608 901 781
22 mm	400 mm	650 mm	2 608 901 787
24 mm	400 mm	650 mm	2 608 901 793
25 mm	400 mm	650 mm	2 608 901 795
28 mm	400 mm	650 mm	2 608 901 801
30 mm	400 mm	650 mm	2 608 901 807
32 mm	400 mm	650 mm	2 608 901 809

## Drill Bits



Diameter	Working Length	Total Length	Part Number
20 mm	400 mm	650 mm	2 608 901 782
22 mm	400 mm	650 mm	2 608 901 788
24 mm	400 mm	650 mm	2 608 901 794
25 mm	400 mm	650 mm	2 608 901 796
28 mm	400 mm	650 mm	2 608 901 802
30 mm	400 mm	650 mm	2 608 901 808
32 mm	400 mm	650 mm	2 608 901 810


## Connector



Drill bit diameter range	Part Number
20 - 32 mm	2 608 901 622

# EXPERT SDS CLEAN PLUS-8X DRILL BITS

## Drill Bit and Connector Sets



Diameter	Working Length	Total Length	Part Number
12 mm	200 mm	350 mm	2 608 901 765
14 mm	200 mm	350 mm	2 608 901 767
14 mm	400 mm	550 mm	2 608 901 769
16 mm	200 mm	350 mm	2 608 901 771
16 mm	400 mm	550 mm	2 608 901 773
18 mm	400 mm	550 mm	2 608 901 779
20 mm	400 mm	550 mm	2 608 901 619

## Drill Bits



Diameter	Working Length	Total Length	Part Number
12 mm	200 mm	350 mm	2 608 901 766
14 mm	200 mm	350 mm	2 608 901 768
14 mm	400 mm	550 mm	2 608 901 770
16 mm	200 mm	350 mm	2 608 901 772
16 mm	400 mm	550 mm	2 608 901 774
18 mm	400 mm	550 mm	2 608 901 780
20 mm	400 mm	550 mm	2 608 901 620


## Connector



Drill bit diameter range	Part Number
6 - 20 mm	2 608 901 621

# EXPERT SDS CLEAN PLUS-8X DRILL BITS

## Drill Bit and Connector Sets



Diameter	Working Length	Total Length	Part Number
6 mm	100 mm	225 mm	2 608 901 755
6.5 mm	100 mm	225 mm	2 608 901 757
8 mm	100 mm	225 mm	2 608 901 759
10 mm	100 mm	225 mm	2 608 901 761

## Drill Bits



Diameter	Working Length	Total Length	Part Number
6 mm	100 mm	225 mm	2 608 901 756
6.5 mm	100 mm	225 mm	2 608 901 758
8 mm	100 mm	225 mm	2 608 901 760
10 mm	100 mm	225 mm	2 608 901 762

# ADVANCED DUST REDUCTION WORKING WITH YOUR REGULAR ACCESSORIES

## EXPERT SDS Clean Adapter for Drilling

**PARTICLE  
CONTROL**

UP TO  
**25x\***

**DUST  
REDUCTION**

Highly efficient dust removal with  
Bosch Particle Control

Clever design for drilling overhead  
or drilling a series of holes with less  
dust

Universal fit: fits most dust  
extractors


Hose handle keeps the dust  
extractor hose out of the way



Drill bit diameter range  
5 - 16 mm

Part Number  
2 608 901 480

\* vs. Bosch SDS plus-7X drill bits



# EXPERT SDS Clean Set for Chiselling

**PARTICLE CONTROL**

**UP TO 25x\***

**DUST REDUCTION**

Highly efficient dust removal with Bosch Particle Control

Extends to fit the chisel's length for effective dust extraction

Installs with just a click



Description	Part Number
SDS max HPP pointed RTec chisel	2 608 901 476



Description	Part Number
SDS max HPP flat RTec chisel	2 608 901 477

\*vs. Bosch SDS max chisels



# HIGH PRECISION DRILLING IN MULTIPLE MATERIALS

## EXPERT HEX-9 / CYL-9 Multi Construction Drill Bits





Accurate drilling is easier with Bosch Centering Geometry

High-performance carbide tip manufactured by fine grinding

Start holes accurately with a sharp centering tip

Optimised dust extraction channel for fast, efficient drilling





## CYL-9 Single Unit Packs

Diameter	Working Length	Total Length	Part Number
3.0 mm	40 mm	70 mm	2 608 900 600
3.5 mm	40 mm	70 mm	2 608 900 602
4.0 mm	40 mm	75 mm	2 608 900 604
5.0 mm	50 mm	85 mm	2 608 900 606
	80 mm	130 mm	2 608 900 605
5.5 mm	50 mm	85 mm	2 608 900 609
	90 mm	150 mm	2 608 900 607
6.0 mm	60 mm	100 mm	2 608 900 611
	100 mm	150 mm	2 608 900 610
	200 mm	250 mm	2 608 901 481
6.5 mm	60 mm	100 mm	2 608 900 615
	90 mm	150 mm	2 608 900 612
	200 mm	250 mm	2 608 901 482
7.0 mm	60 mm	100 mm	2 608 900 618
	90 mm	150 mm	2 608 900 616
	200 mm	250 mm	2 608 901 483
8.0 mm	80 mm	120 mm	2 608 900 621
	90 mm	150 mm	2 608 900 619
	200 mm	250 mm	2 608 901 484
9.0 mm	80 mm	120 mm	2 608 900 625
	90 mm	150 mm	2 608 900 622
10.0 mm	80 mm	120 mm	2 608 900 626
	90 mm	150 mm	2 608 900 627
	200 mm	250 mm	2 608 901 485
11.0 mm	90 mm	150 mm	2 608 900 630
12.0 mm	90 mm	150 mm	2 608 900 631
	200 mm	250 mm	2 608 901 486
14.0 mm	150 mm	200 mm	2 608 901 487
	200 mm	250 mm	2 608 901 488
16.0 mm	200 mm	250 mm	2 608 901 489

## CYL-9 8-pcs Packs


Diameter	Working Length	Total Length	Part Number
10.0 mm	80 mm	120 mm	2 608 900 644

## CYL-9 10-pcs Packs

Diameter	Working Length	Total Length	Part Number
4.0 mm	40 mm	75 mm	2 608 900 637
5.0 mm	50 mm	85 mm	2 608 900 638
5.5 mm	50 mm	85 mm	2 608 900 639
6.0 mm	60 mm	100 mm	2 608 900 640
7.0 mm	60 mm	100 mm	2 608 900 642
8.0 mm	80 mm	120 mm	2 608 900 643

## CYL-9 Sets

Description	Diameter	Part Number
<b>Robust Line</b>		
4 pcs	4.0/5.0/6.0/8.0 mm	2 608 900 645
	5.5/6.0/7.0/8.0 mm	2 608 900 646
<b>Cassettes</b>		
4 pcs	4.0/5.0/6.0/8.0 mm	2 608 900 649
	5.5/6.0/7.0/8.0 mm	2 608 900 650
7 pcs	4.0/5.0/6.0 (2×)/ 8.0/10.0/12.0 mm	2 608 900 647
	5.0/5.5/6.0 (2×)/ 7.0/8.0/10.0 mm	2 608 900 648



EXPERT Multi-Material Drill Bits | 15



## HEX-9 Single Unit Packs

Diameter	Working Length	Total Length	Part Number
3.0 mm	45 mm	90 mm	2 608 900 569
3.5 mm	45 mm	90 mm	2 608 902 346
4.0 mm	45 mm	90 mm	2 608 900 570
	90 mm	150 mm	2 608 902 347
5.0 mm	50 mm	100 mm	2 608 900 571
	90 mm	150 mm	2 608 902 348
5.5 mm	60 mm	100 mm	2 608 900 572
	90 mm	150 mm	2 608 900 573
6.0 mm	60 mm	100 mm	2 608 900 574
	90 mm	150 mm	2 608 900 575
	200 mm	250 mm	2 608 902 353
6.5 mm	60 mm	100 mm	2 608 900 577
	90 mm	150 mm	2 608 902 349
	200 mm	250 mm	2 608 902 354
7.0 mm	60 mm	100 mm	2 608 900 579
	90 mm	150 mm	2 608 900 580
	200 mm	250 mm	2 608 902 355
8.0 mm	50 mm	100 mm	2 608 900 581
	90 mm	150 mm	2 608 902 350
	200 mm	250 mm	2 608 902 356
	350 mm	400 mm	2 608 902 362
9.0 mm	90 mm	150 mm	2 608 902 351
10.0 mm	90 mm	150 mm	2 608 900 582
	200 mm	250 mm	2 608 902 357
	350 mm	400 mm	2 608 902 363
11.0 mm	90 mm	150 mm	2 608 902 352
12.0 mm	90 mm	150 mm	2 608 900 583
	200 mm	250 mm	2 608 902 358
	350 mm	400 mm	2 608 902 364
14.0 mm	150 mm	200 mm	2 608 902 359
	200 mm	250 mm	2 608 902 360
16.0 mm	150 mm	200 mm	2 608 902 361
	350 mm	400 mm	2 608 902 365

## HEX-9 Sets

Description	Diameter	Part Number
3 pcs	5.0/6.0/8.0 mm	2 608 900 584
4 pcs	4.0/5.0/6.0/ 8.0 mm	2 608 902 368
	5.5/6.0/7.0/ 8.0 mm	2 608 902 369
5 pcs	4.0/5.0/6.0 (2×)/ 8.0 mm	2 608 900 585
	5.5/6.0 (2×)/7.0/ 8.0 mm	2 608 900 586
7 pcs	5/32", 3/16", 1/4", 5/16", 3/8"	2 608 901 456
	4.0/5.0/6.0 (2×)/ 8.0/10.0/12.0 mm	2 608 902 370
8-pcs.	5.0/5.5/6.0 (2×)/ 7.0/8.0/10.0 mm	2 608 902 371
	3.0/4.0/5.0 (2×)/ 6.0 (2×)/8.0 (2×) mm	2 608 901 455



## HEX-9 Multi Construction + Hard Ceramic Combi Packs

Description	Measurements	Part Number
Multi Construction + Hard Ceramic	∅ 6.0 × 100 mm	2 608 902 366
	∅ 6.0 × 90 mm	
Multi Construction + Hard Ceramic	∅ 8.0 × 100 mm	2 608 902 367
	∅ 8.0 × 90 mm	





# LONG LIFE DRILLING IN HARD TILES

## EXPERT HEX-9 Hard Ceramic Drill Bits





Exceptionally durable drill bit tip with Bosch Carbide Technology

Start holes accurately with a specially designed centering tip

High-performance carbide tip manufactured by fine grinding

Efficient drilling in hard materials with a multi-faceted design



### HEX-9 Single Unit Packs

Diameter	Total Length	Part Number
3.0 mm	90 mm	2 608 900 587
4.0 mm	90 mm	2 608 900 588
5.0 mm	90 mm	2 608 900 589
5.5 mm	90 mm	2 608 901 683
6.0 mm	90 mm	2 608 900 590
7.0 mm	90 mm	2 608 900 591
8.0 mm	90 mm	2 608 900 592
10.0 mm	90 mm	2 608 900 593
12.0 mm	90 mm	2 608 900 594

### Sets

Description	Diameter	Part Number
3 pcs	3.0/6.0/8.0 mm	2 608 900 595
5 pcs	4.0/5.0/6.0/8.0/10.0 mm	2 608 900 597
	5 (5×) mm	2 608 900 598
	6 (5×) mm	2 608 900 599
<b>Mixed Set</b>		
5 pcs	HEX-9 (90 mm): 6.0/6.0/6.0 mm CYL-3 (100 mm): 6.0/6.0 mm	2 608 900 596

\*vs. Bosch CYL-9 Ceramic drill bit

# HIGH SPEED DRILLING IN WOOD

## EXPERT Self Cut Speed Spade Drill Bits

**TIP**  
TECHNOLOGY

UP TO  
**3x\***  
SPEED

Fast drilling is easier with Bosch Tip Technology

Self-feeding thread for high-speed drilling with only a little pressure

Clever wave-shaped spade designed for fast chip removal



\*vs. Bosch Spade Bit (2 609 255 269)



## Single Unit Packs

Diameter	Total Length	Part Number
6.0 mm	152 mm	2 608 900 309
8.0 mm	152 mm	2 608 900 310
10.0 mm	152 mm	2 608 900 311
12.0 mm	152 mm	2 608 900 312
13.0 mm	152 mm	2 608 900 313
14.0 mm	152 mm	2 608 900 314
16.0 mm	152 mm	2 608 900 315
17.0 mm	152 mm	2 608 900 316
18.0 mm	152 mm	2 608 900 317
19.0 mm	152 mm	2 608 900 318
20.0 mm	152 mm	2 608 900 319
22.0 mm	152 mm	2 608 900 320
24.0 mm	152 mm	2 608 900 321
25.0 mm	152 mm	2 608 900 322
26.0 mm	152 mm	2 608 900 323
28.0 mm	152 mm	2 608 900 324
30.0 mm	152 mm	2 608 900 325
32.0 mm	152 mm	2 608 900 326
35.0 mm	152 mm	2 608 900 327
36.0 mm	152 mm	2 608 900 328
38.0 mm	152 mm	2 608 900 329
40.0 mm	152 mm	2 608 900 330

Diameter	Total Length	Part Number
6.0 mm	406 mm	2 608 900 337
8.0 mm	406 mm	2 608 900 338
10.0 mm	406 mm	2 608 900 339
12.0 mm	406 mm	2 608 900 340
13.0 mm	406 mm	2 608 900 341
14.0 mm	406 mm	2 608 900 342
16.0 mm	406 mm	2 608 900 343
17.0 mm	406 mm	2 608 900 344
18.0 mm	406 mm	2 608 900 345
19.0 mm	406 mm	2 608 900 346
20.0 mm	406 mm	2 608 900 347
22.0 mm	406 mm	2 608 900 348
24.0 mm	406 mm	2 608 900 349
25.0 mm	406 mm	2 608 900 350
26.0 mm	406 mm	2 608 900 351
28.0 mm	406 mm	2 608 900 352
30.0 mm	406 mm	2 608 900 353
32.0 mm	406 mm	2 608 900 354
35.0 mm	406 mm	2 608 900 355
36.0 mm	406 mm	2 608 900 356
38.0 mm	406 mm	2 608 900 357
40.0 mm	406 mm	2 608 900 358

## Sets

Description	Diameter	Part Number
3 pcs	20.0/22.0/25.0 mm	2 608 900 331
6 pcs	14.0/16.0/18.0/ 20.0/22.0/24.0 mm	2 608 900 332
	13.0/16.0/19.0/ 20.0/22.0/25.0 mm	2 608 900 333
7 pcs	16.0/18.0/20.0/ 22.0/25.0/32.0 mm	2 608 900 334
8 pcs	12.0/16.0/18.0/ 20.0/22.0/25.0/ 28.0/32.0 mm	2 608 902 111
13 pcs	10.0/12.0/13.0/ 14.0/16.0/18.0/ 20.0/22.0/24.0/ 25.0/28.0/30.0/ 32.0 mm	2 608 900 336



# LONG LIFE CUTTING PIPES MADE FROM VARIOUS MATERIALS

## EXPERT Diamond Pipe Cut Wheel Cutting Discs




Exceptionally durable cutting edge using Bosch Diamond Technology

Cut and chamfer at the same time thanks to the integrated flange

Does not shatter if dropped, and produces no chemical smell or extra dust during cutting

Advanced steel body keeps constant speed and depth



Diameter	Fitting	Part Number
125 mm	X-Lock	2 608 901 391
230 mm	22.23 mm	2 608 901 392



# LONG LIFE CUTTING METAL


## EXPERT Diamond Metal Wheel Cutting Discs



Exceptionally durable cutting edge using Bosch Diamond Technology

Does not shatter if dropped, no chemical smell

Advanced steel body keeps constant speed and depth



Diameter	Fitting	Part Number
115 mm	X-Lock	2 608 900 532
125 mm	X-Lock	2 608 900 533

Diameter	Fitting	Part Number
105 mm	20 / 16 mm	2 608 900 531
180 mm	22.23 mm	2 608 900 535
230 mm	22.23 mm	2 608 900 536
355 mm	25.4 mm	2 608 900 537

## EXPERT CONCRETE DIAMOND GRINDING HEADS



Up to 2x faster than Bosch 2 608 301 573 concrete grinding head

Suitable for concrete

Diameter	Fitting	Part Number
125 mm	22.23 mm	2 608 900 651
150 mm	22.23 mm	2 608 901 478
180 mm	22.23 mm	2 608 901 479

# EXPERT MULTI MATERIAL DIAMOND CUTTING DISCS



Lasts up to 4× longer than Bosch 2 608 615 028 multi material diamond disc

**Suitable for** concrete, reinforced concrete, brick, soft stone

Diameter	Fitting	Part Number
115 mm	X-Lock	2 608 900 669
125 mm	X-Lock	2 608 900 670



Lasts up to 4× longer than Bosch 2 608 615 028 multi material diamond disc

**Suitable for** concrete, reinforced concrete, brick, soft stone

Diameter	Fitting	Part Number
115 mm	22.23 mm	2 608 900 659
125 mm	22.23 mm	2 608 900 660
150 mm	22.23 mm	2 608 900 661
180 mm	22.23 mm	2 608 900 662
230 mm	22.23 mm	2 608 900 663
300 mm	22.23 mm	2 608 900 664
	20 / 25.4 mm	2 608 900 665
350 mm	20 / 25.4 mm	2 608 900 666
400 mm	20 / 25.4 mm	2 608 900 667
450 mm	20 / 25.4 mm	2 608 900 668

# EXPERT MULTI MATERIAL TURBO DIAMOND CUTTING DISCS



Lasts up to 2× longer than Bosch Eco for Universal diamond disc

**Suitable for** concrete, brick, roof tiles, soft stone

Diameter	Fitting	Part Number
115 mm	X-Lock	2 608 901 596
125 mm	X-Lock	2 608 901 597
230 mm	X-Lock	2 608 901 598



# EXPERT HARD CERAMIC DIAMOND CUTTING DISCS



Up to 2× more precise than Bosch 2 607 019 473 ceramic diamond disc

**Suitable for** hard tiles, hard stone

Diameter	Fitting	Part Number
85 mm	X-Lock	2 608 900 656
115 mm	X-Lock	2 608 900 657
125 mm	X-Lock	2 608 900 658




Up to 2× more precise than Bosch 2 607 019 473 ceramic diamond disc

**Suitable for** hard tiles, hard stone

Diameter	Fitting	Part Number
76 mm	10 mm	2 608 900 652
85 mm	22.23 mm	2 608 900 653
115 mm	22.23 mm	2 608 900 654
125 mm	22.23 mm	2 608 900 655

# LONG LIFE CUTTING MULTIPLE MATERIALS

## EXPERT Carbide Multi Wheel Cutting Discs



Exceptional durability is built in with Bosch Carbide Technology

Advanced steel body keeps constant speed and depth

Extra strong laser bonding of carbide grit and steel body



Diameter	Fitting	PQ	Part Number
115 mm	X-Lock	1	2 608 901 192
		10	2 608 901 194
125 mm	X-Lock	1	2 608 901 193
		10	2 608 901 195

Diameter	Fitting	PQ	Part Number
76 mm	10 mm	1	2 608 901 196
110 mm	10 mm	1	2 608 901 200
115 mm	22.23 mm	1	2 608 901 188
		10	2 608 901 190
125 mm	22.23 mm	1	2 608 901 189
		10	2 608 901 191
180 mm	22.23 mm	1	2 608 901 681
230 mm	22.23 mm	1	2 608 901 682

PQ = Pack Quantity





# LONG LIFE CUTTING HARDWOOD AND COMPOSITE WOOD MATERIALS

## EXPERT Hardwood fast T 144 DHM Jigsaw Blades





Exceptional durability is built in with Bosch Carbide Technology

Progressive tooth pitch to cut up to 50 mm

Fast cutting with tapered blade body

Sharp carbide teeth produced by top level grinding



Description	Cutting type	PQ	Part Number
T 144 DHM	Fast	2	2 608 901 706
		3	2 608 900 541
		10	2 608 901 816

\*vs. Bosch T 144 D blade



EXPERT Jigsaw Blades | 25

# EXPERT JIGSAW BLADES FOR WOOD

## Hardwood 2-side clean

Very clean finish top and bottom

Suitable for plastic coated boards, multiplex board



Description	Cutting type	PQ	Part Number
T 308 BF	Straight	2	2 608 901 713
		3	2 608 900 543
		5	2 608 900 544
		25	2 608 900 545
		100	2 608 900 546

Suitable for plastic coated boards, kitchen countertop



Description	Cutting type	PQ	Part Number
T 308 BFP	Curve	2	2 608 901 714
		3	2 608 900 547
		5	2 608 900 548
		25	2 608 901 181

## Hardwood 2-side clean Set

Description	Content	Part Number
3 pcs	T 308 BF (2×), T 308 BFP (1×)	2 608 900 549

## Wood 2-side clean

Very clean finish top and bottom

Suitable for solid wood furniture board, plywood



Description	Cutting type	PQ	Part Number
T 308 B	Straight	2	2 608 901 711
		3	2 608 900 550
		5	2 608 900 551
		25	2 608 900 552
		100	2 608 900 553

Suitable for solid wood furniture board, plywood



Description	Cutting type	PQ	Part Number
T 308 BO	Curve	2	2 608 901 712
		3	2 608 900 554
		5	2 608 900 555
		25	2 608 900 556

Suitable for solid wood furniture board, plywood



Description	Cutting type	PQ	Part Number
T 308 BP	Straight	3	2 608 900 557
		5	2 608 900 558

## Wood 2-side clean Set

Description	Content	Part Number
3 pcs	T 308 B (2×), T 308 BO (1×)	2 608 900 559

## Laminate clean

Lasts up to 45× longer than Bosch T 101 B blade in tough materials

Suitable for solid laminate vinyl, PVC, HPL (High-pressure laminate)



Description	Cutting type	PQ	Part Number
T 128 BHM	Straight	2	2 608 901 707
		3	2 608 900 542



# EXPERT JIGSAW BLADES FOR STAINLESS STEEL

## Stainless Steel

Lasts up to 45× longer than Bosch T 118 G jigsaw blade in tough materials

**Suitable for** stainless steel sheets



Description	Cutting type	PQ	Part Number
T 118 AHM	Straight	2	2 608 901 709
		3	2 608 900 561
T 118 EHM	Straight	3	2 608 900 562

# EXPERT JIGSAW BLADES FOR MULTI MATERIAL

## Multi Material thick and thin

Lasts up to 45× longer than Bosch T 345 XF blade

**Suitable for** tough steel, aluminium, wood with tough metal, construction wood with mortar and nails, plastics



Description	Cutting type	PQ	Part Number
T 367 XHM	Straight	2	2 608 901 708
		3	2 608 900 560
		10	2 608 901 818

# EXPERT JIGSAW BLADES FOR PLASTICS

## Carbon Fiber clean

Carbide Technology for long life performance

**Suitable for** fibre plastics (GFK, CFK)



Description	Cutting type	PQ	Part Number
T 108 BHM	Straight	3	2 608 900 565

## Plastic Composites clean

Carbide Technology for long life performance

**Suitable for** WPC (wood plastic), solid surface composite



Description	Cutting type	PQ	Part Number
T 301 CHM	Straight	3	2 608 900 566

# EXPERT JIGSAW BLADES FOR SPECIAL APPLICATIONS

## Fiber Plaster

Carbide Technology for long-life performance

**Suitable for** fibre cement boards, drywall board



Description	Cutting type	PQ	Part Number
T 141 HM	Straight	2	2 608 901 710
		3	2 608 900 563
		10	2 608 901 817

**Suitable for** fibre cement boards, drywall board, aerated concrete




Description	Cutting type	PQ	Part Number
T 341 HM	Straight	3	2 608 900 564

## Soft Tile clean

Diamond Technology for precise and clean cuts

**Suitable for** soft tiles



Description	Cutting type	PQ	Part Number
T 150 RD	Straight	3	2 608 900 567

PQ = Pack Quantity

EXPERT Jigsaw Blades | 27

# LONG LIFE CUTTING THICK TOUGH METAL

## EXPERT Thick Tough Metal Reciprocating Saw Blades



**EXTRA  
COATING**



**CARBIDE  
TECHNOLOGY**

**UP TO  
100\***




**LONG LIFE**

Exceptional durability is built in with Bosch Carbide Technology

Extra coating makes carbide tougher

Thick gauge blade offers extra robustness and stability

Wide body for precise, straight cuts



\*vs. Bosch S 1122 BF blade



# EXPERT RECIPROCATING SAW BLADES FOR METAL

## Thick Tough Metal

Lasts up to 100× longer than Bosch S 1122 BF blade in tough materials

Suitable for tough steel, cast iron



Description	Length	PQ	Part Number
S 555 CHC	100 mm	1	2 608 900 364
S 955 CHC	150 mm	1	2 608 900 365
		3	2 608 900 366
		10	2 608 900 367
S 1155 CHC	225 mm	1	2 608 900 368
		3	2 608 900 369
		10	2 608 900 370
S 1255 CHC	300 mm	1	2 608 900 371
		10	2 608 900 372

## Medium-Thick Tough Metal

Lasts up to 50× longer than Bosch S 1122 BF blade in tough materials

Suitable for tough steel, stainless steel pipes



Description	Length	PQ	Part Number
S 955 HHM	150 mm	1	2 608 900 373
S 1155 HHM	225 mm	1	2 608 900 374
		3	2 608 900 375
		10	2 608 900 376
S 1255 HHM	300 mm	1	2 608 900 377

## Thin Tough Metal

Lasts up to 50× longer than Bosch S 922 EF blade in tough materials

Suitable for stainless steel sheets, stainless steel pipes



Description	Length	PQ	Part Number
S 522 EHM	115 mm	1	2 608 900 359
S 922 EHM	150 mm	1	2 608 900 360
		3	2 608 900 361
		10	2 608 900 362
		1	2 608 900 363
S 1022 EHM	200 mm	1	2 608 900 363

## Vehicle Rescue

Lasts up to 50× longer than Bosch S 1122 BF blade in tough materials

Suitable for tough steel, glass



Description	Length	PQ	Part Number
S 957 CHM	150 mm	1	2 608 900 378
		10	2 608 900 379
S 1157 CHM	225 mm	1	2 608 900 380
		3	2 608 900 381
		10	2 608 900 382

## Cement Cast Iron

Diamond Technology for long life cutting cement cast iron pipes

Suitable for cast iron, fibre plastics (GFK, CFK)



Description	Length	PQ	Part Number
S 1750 RD	250 mm	1	2 608 900 383

PQ = Pack Quantity

EXPERT Reciprocating Saw Blades | 29

# EXPERT RECIPROCATING SAW BLADES FOR MULTI MATERIAL

## Multi Material

Lasts up to 50× longer than Bosch S 3456 XF blade in tough materials

**Suitable for** cast iron, wood with tough metal, construction wood with mortar and nails, plastics, fibre plastics (GFK, CFK)



Description	Length	PQ	Part Number
S 956 XHM	150 mm	1	2 608 900 389
		10	2 608 900 390
S 1156 XHM	225 mm	1	2 608 900 391
		3	2 608 900 392
		10	2 608 900 393
S 1256 XHM	300 mm	1	2 608 900 394
		10	2 608 900 395

## Wood with Metal Demolition

Lasts up to 50× longer than Bosch S 1111 DF blade in tough materials

**Suitable for** wood with tough metal, construction wood with mortar and nails, WPC (Wood plastic), hardwood



Description	Length	PQ	Part Number
S 967 XHM	150 mm	1	2 608 900 396
		10	2 608 900 397
S 1167 XHM	225 mm	1	2 608 900 398
		3	2 608 900 399
		10	2 608 900 400
S 1267 XHM	300 mm	1	2 608 900 401
		10	2 608 900 402

## Wood with Metal

Lasts up to 50× longer than Bosch S 611 DF blade in tough materials

**Suitable for** wood with tough metal, construction wood with mortar and nails



Description	Length	PQ	Part Number
S 715 LHM	100 mm	1	2 608 900 384

## Window Demolition

Lasts up to 50× longer than Bosch S 611 DF blade in tough materials

**Suitable for** wood with tough metal, plastics, aluminium



Description	Length	PQ	Part Number
S 956 DHM	150 mm	1	2 608 900 385
		10	2 608 900 386

## Hard Nail Pallets

Lasts up to 50× longer than Bosch S 1122 HF blade in tough materials

**Suitable for** wood with tough metal, wood with hard nails



Description	Length	PQ	Part Number
S 1122 CHM	225 mm	1	2 608 900 387
		10	2 608 900 388

# EXPERT RECIPROCATING SAW BLADES FOR WOOD

## Tough Wood

Lasts up to 50× longer than Bosch S 1542 K blade in tough materials

**Suitable for** construction wood, pressure treated lumber



Description	Length	PQ	Part Number
S 1142 KHM	225 mm	1	2 608 900 403
		3	2 608 900 404
		10	2 608 900 405
S 1242 KHM	300 mm	1	2 608 900 406

# EXPERT RECIPROCATING SAW BLADES FOR SPECIAL APPLICATIONS

## Fiber Plasterboard

Lasts up to 50x longer than Bosch S 628 DF blade in tough materials

**Suitable for** fibre cement boards, drywall board, aerated concrete



Description	Length	PQ	Part Number
S 641 HM	150 mm	1	2 608 900 407

## Aerated Concrete

Carbide Technology for long life cutting aerated concrete

**Suitable for** aerated concrete



Description	Length	PQ	Part Number
S 1141 HM	225 mm	1	2 608 900 408
		10	2 608 900 409
S 1241 HM	300 mm	1	2 608 900 410
		3	2 608 900 411
		10	2 608 900 412
S 2041 HM	400 mm	1	2 608 900 413

## Hollow Brick

Carbide Technology for long life cutting hollow brick

**Suitable for** hollow brick building block



Description	Length	PQ	Part Number
S 1543 HM	240 mm	1	2 608 900 414
		3	2 608 900 415
		10	2 608 900 416



Description	Length	PQ	Part Number
S 1243 HM	300 mm	1	2 608 900 417
S 2243 HM	455 mm	1	2 608 900 418



# LONG LIFE CUTTING HOLES IN TOUGH MATERIALS

## EXPERT Tough Material PC Plus Hole Saws



**CARBIDE  
TECHNOLOGY**


**UP TO  
50x\***



Exceptional durability is built in with Bosch Carbide Technology

Individually ground teeth made from fine, hard carbide

Special slot design for better view and plug ejection



\*vs. Bosch 2 608 580 419 hole saw





## Tough Material PC Plus



Lasts up to 50× longer than Bosch 2 608 580 419 hole saw in tough materials

**Suitable for** wood with metal, brick, soft tiles, stainless steel sheets, plastics

Diameter	Pack Quantity	Part Number
20 mm	1	2 608 900 419
22 mm	1	2 608 900 420
25 mm	1	2 608 900 421
32 mm	1	2 608 900 422
35 mm	1	2 608 900 423
38 mm	1	2 608 900 424
40 mm	1	2 608 900 425
44 mm	1	2 608 900 426
51 mm	1	2 608 900 427
54 mm	1	2 608 900 428
60 mm	1	2 608 900 429
64 mm	1	2 608 900 430
65 mm	1	2 608 900 431
67 mm	1	2 608 900 432
68 mm	1	2 608 900 433
70 mm	1	2 608 900 434
73 mm	1	2 608 900 435
76 mm	1	2 608 900 436
80 mm	1	2 608 900 437
83 mm	1	2 608 900 438
102 mm	1	2 608 900 439
105 mm	1	2 608 900 440
111 mm	1	2 608 900 441
114 mm	1	2 608 900 442
127 mm	1	2 608 900 443
152 mm	1	2 608 900 444

## Starter Kits

Description	Diameter	Part Number
3 pcs	51 mm (3×)	2 608 900 449
3 pcs	68 mm (3×)	2 608 900 450

## Universal Sets

Description	Diameter	Part Number
9 pcs	22/25/35/51/ 60/68 mm	2 608 900 445
	22/25/35/40/ 51/68 mm	2 608 900 446
14 pcs	20/22/25/32/ 35/40/44/51/ 60/64/76 mm	2 608 900 447
	20/22/25/32/ 35/40/44/51/ 60/68/76 mm	2 608 900 448

## Construction Material PC Plus



Lasts up to 50× longer than Bosch 2 609 256 D05 hole saw in tough materials

**Suitable for** softwood, chipboard, brick, soft tiles, fibre plastics (GFK, CFK)

Diameter	Pack Quantity	Part Number
19 mm	1	2 608 900 451
20 mm	1	2 608 900 452
22 mm	1	2 608 900 453
25 mm	1	2 608 900 454
30 mm	1	2 608 900 455
32 mm	1	2 608 900 456
35 mm	1	2 608 900 457
38 mm	1	2 608 900 458
40 mm	1	2 608 900 459
41 mm	1	2 608 900 460
44 mm	1	2 608 900 461
48 mm	1	2 608 900 462
51 mm	1	2 608 900 463
54 mm	1	2 608 900 464
57 mm	1	2 608 900 465
60 mm	1	2 608 900 466
64 mm	1	2 608 900 467
65 mm	1	2 608 900 468
67 mm	1	2 608 900 469
68 mm	1	2 608 900 470
70 mm	1	2 608 900 471
73 mm	1	2 608 900 472
76 mm	1	2 608 900 473
79 mm	1	2 608 900 474
80 mm	1	2 608 900 475
83 mm	1	2 608 900 476
86 mm	1	2 608 900 477
92 mm	1	2 608 900 478
98 mm	1	2 608 900 479
102 mm	1	2 608 900 480
105 mm	1	2 608 900 481
111 mm	1	2 608 900 482
114 mm	1	2 608 900 483
121 mm	1	2 608 900 484
127 mm	1	2 608 900 485
140 mm	1	2 608 900 486
152 mm	1	2 608 900 487
159 mm	1	2 608 900 488

## Universal Sets

Description	Diameter	Part Number
15 pcs	20/22/25/32/ 35/40/44/51/ 60/68/76 mm	2 608 900 489

## Electrician Sets

Description	Diameter	Part Number
9 pcs	20/25/32/38/ 51/64 mm	2 608 900 490

## Sheet Metal PC Plus



Lasts up to 50× longer than Bosch 2 608 580 408 hole saw in tough materials

**Suitable for** stainless steel sheets, steel sheets

Diameter	Pack Quantity	Part Number
20 mm	1	2 608 900 491
21 mm	1	2 608 900 492
22 mm	1	2 608 900 493
25 mm	1	2 608 900 494
27 mm	1	2 608 900 495
30 mm	1	2 608 900 496
32 mm	1	2 608 900 497
35 mm	1	2 608 900 498
40 mm	1	2 608 900 499
51 mm	1	2 608 900 500
68 mm	1	2 608 900 501

## Sheet Metal Set

Description	Diameter	Part Number
5 pcs	22 / 25 / 32 mm	2 608 900 502

## Pilot Drill for EXPERT Power Change Plus

Description	Length / Material	Part Number
6.0 mm	55 mm / HSS-Co	2 608 900 503

## Power Change Plus with Pilot Drill



Adapter	Pilot drill	Part Number
HEX 11	8.5 × 105 mm Carbide drill	2 608 900 526
HEX 11	7.15 × 105 mm HSS-G drill	2 608 900 527

## Pilot Drills for EXPERT Power Change Plus

Diameter	Length / Material	Part Number
7.15 mm	105 mm / HSS-G	2 608 900 528
	105 mm / HSS-Co	2 608 900 530
8.5 mm	105 mm / Carbide	2 608 900 529



# LONG LIFE CUTTING ABRASIVE AND COMPOSITE MATERIALS


## EXPERT Multi Material Segment Blades



Exceptional durability is built in with Bosch Carbide Technology

Thick gauge blade offers extra robustness and stability

Wide body for precise, straight cuts



### ACZ 105 ET

Starlock Multi Material Segment Blade

Measurements	PQ	Part Number
∅ 105 mm	1	2 608 664 208
	5	2 608 664 207

\*vs. Bosch ACZ 85 EB PQ = Pack Quantity

EXPERT Accessories for Oscillating Multitool | 35

# LONG LIFE CUTTING SHEET METAL AND ABRASIVE MATERIALS

## EXPERT MultiMax Blades



Exceptional durability is built in with Bosch Carbide Technology

Extra coating makes carbide tougher

Curved-Tec blade for controlled and clean plunge cuts

Thin carbide blade for faster sawing



36 | EXPERT Accessories for Oscillating Multitool



### AIZ 32 APIT

Starlock Multi Material Plunge Cut Blade

Measurements PQ	Part Number
32 x 40 mm	1 2 608 900 024
	5 2 608 900 025
	10 2 608 900 026
	25 2 608 900 027

\*vs. Bosch AIZ 20 AB



## AIZ 32 APILT

Starlock Multi Material Plunge Cut Blade

Measurements	PQ	Part Number
32×40 mm	1	2 608 902 394
	5	2 608 902 395
	10	2 608 902 396
	25	2 608 902 397



## PAIZ 32 APIT

StarlockPlus Multi Material Plunge Cut Blade

Measurements	PQ	Part Number
32×55 mm	1	2 608 900 028
	10	2 608 900 029



## PAII 52 APIT

StarlockPlus Multi Material Plunge Cut Blade


Measurements	PQ	Part Number
52×50 mm	1	2 608 900 030



## MAII 32 APIT

StarlockMax Multi Material Plunge Cut Blade


Measurements	PQ	Part Number
32×70 mm	1	2 608 900 031
	10	2 608 900 032



## AVZ 90 RT2

Starlock Multi Material Sanding Plate


Measurements	PQ	Part Number
∅ 90 mm, #20	1	2 608 900 045
	10	2 608 900 046



## AVZ 90 RT4

Starlock Multi Material Sanding Plate


Measurements	PQ	Part Number
∅ 90 mm, #40	1	2 608 900 047



## AVZ 90 RT6

Starlock Multi Material Sanding Plate


Measurements	PQ	Part Number
∅ 90 mm, #60	1	2 608 900 049



## AVZ 90 RT10

Starlock Multi Material Sanding Plate


Measurements	PQ	Part Number
∅ 90 mm, #100	1	2 608 900 043



## MAVZ 116 RT2

StarlockMax Multi Material Sanding Plate


Measurements	PQ	Part Number
∅ 116 mm, #20	1	2 608 900 052



## MAVZ 116 RT4

StarlockMax Multi Material Sanding Plate


Measurements	PQ	Part Number
∅ 116 mm, #40	1	2 608 900 053



## MAVZ 116 RT6

StarlockMax Multi Material Sanding Plate

Measurements	PQ	Part Number
∅ 116 mm, #60	1	2 608 900 054



## MAVZ 116 RT10

StarlockMax Multi Material Sanding Plate

Measurements	PQ	Part Number
∅ 116 mm, #100	1	2 608 900 051



## AVZ 32 RT4

Starlock Multi Material Sanding Finger

Measurements	PQ	Part Number
32×53 mm, #40	1	2 608 900 040



## AVZ 32 RT10

Starlock Multi Material Sanding Finger

Measurements	PQ	Part Number
32×53 mm, #100	1	2 608 900 039

PQ = Pack Quantity

EXPERT Accessories for Oscillating Multitool | 37



# OSCILLATING MULTITOOL ACCESSORIES FOR METAL



## AIZ 32 AT

Starlock Metal Plunge Cut Blade

Measurements	PQ	Part Number
32 × 40 mm	10	2 608 901 182



## AIZ 20 AIT

Starlock Metal Plunge Cut Blade

Measurements	PQ	Part Number
20 × 40 mm	1	2 608 900 012
	5	2 608 900 013



## AIZ 32 AIT

Starlock Metal Plunge Cut Blade

Measurements	PQ	Part Number
32 × 40 mm	1	2 608 900 014
	5	2 608 900 015
	10	2 608 900 016
	25	2 608 900 017



## AIZ 45 AIT

Starlock Metal Plunge Cut Blade

Measurements	PQ	Part Number
45 × 35 mm	1	2 608 900 018



## PAIZ 32 AIT

StarlockPlus Metal Plunge Cut Blade

Measurements	PQ	Part Number
32 × 55 mm	1	2 608 900 019
	10	2 608 900 020



## PAIZ 45 AIT

StarlockPlus Metal Plunge Cut Blade

Measurements	PQ	Part Number
45 × 50 mm	1	2 608 900 021



## MAI 32 AIT

StarlockMax Metal Plunge Cut Blade

Measurements	PQ	Part Number
32 × 70 mm	1	2 608 900 022
	10	2 608 900 023

# OSCILLATING MULTITOOL ACCESSORIES FOR GROUT AND ABRASIVE



## ACZ 85 RD4

Starlock Grout and Abrasive  
Diamond Segment Blade

Measurements	PQ	Part Number
∅ 85 × 2.0 mm	1	2 608 900 034
	10	2 608 900 035



## AVZ 70 RT4

Starlock Grout and Abrasive  
3 max Grouting Plate

Measurements	PQ	Part Number
∅ 70 × 2.5 mm	1	2 608 900 041
	10	2 608 900 042



## MATI 68 RD4

StarlockMax Grout and Abrasive  
Diamond Corner Blade

Measurements	PQ	Part Number
68 × 30 × 2.2 mm	1	2 608 900 036
	10	2 608 900 037



## MATI 68 RSD4

StarlockMax Grout and Abrasive  
Diamond Corner Blade


Measurements	PQ	Part Number
68 × 10 × 1.6 mm	1	2 608 900 038

PQ = Pack Quantity

EXPERT Accessories for Oscillating Multitool | 39

# ADVANCED DUST REDUCTION SANDING WOOD, PAINT, AND DRYWALL

## EXPERT M480 Sanding Nets




**PARTICLE  
CONTROL**

**UP TO  
4x\***



Most efficient dust removal with  
Bosch Particle Control

Dust is sucked through Open Net  
Structure



\*vs. Bosch C420 sandpaper








Diameter	Grit	PQ	Part Number
125 mm	80	5	2 608 900 671
		50	2 608 900 680
	100	5	2 608 900 672
		50	2 608 900 681
	120	5	2 608 900 673
		50	2 608 900 682
	150	5	2 608 900 674
		50	2 608 900 683
	180	5	2 608 900 675
		50	2 608 900 684
	220	5	2 608 900 676
		50	2 608 900 685
	240	5	2 608 900 677
		50	2 608 900 686
	320	5	2 608 900 678
		50	2 608 900 687
400	5	2 608 900 679	
	50	2 608 900 688	
150 mm	80	5	2 608 900 689
		50	2 608 900 698
	100	5	2 608 900 690
		50	2 608 900 699
	120	5	2 608 900 691
		50	2 608 900 700
	150	5	2 608 900 692
		50	2 608 900 701
	180	5	2 608 900 693
		50	2 608 900 702
	220	5	2 608 900 694
		50	2 608 900 703
	240	5	2 608 900 695
		50	2 608 900 704
	320	5	2 608 900 696
		50	2 608 900 705
400	5	2 608 900 697	
	50	2 608 900 706	
225 mm	80	5	2 608 901 636
		25	2 608 900 707
	100	25	2 608 900 708
	120	5	2 608 901 637
		25	2 608 900 709
	150	25	2 608 900 710
	180	5	2 608 901 638
		25	2 608 900 711
	220	25	2 608 900 712
	240	5	2 608 901 639
		25	2 608 900 713
	320	25	2 608 900 714
400	25	2 608 900 715	

PQ = Pack Quantity



## Sets

Description	Grit	Part Number
6+1-pcs. Ø 125 mm	2×80/2×120/ 2×180 + pad saver	2 608 901 202
6+1-pcs. Ø 150 mm	2×80/2×120/ 2×180 + pad saver	2 608 901 203
6+1-pcs. Ø 225 mm	2×80/2×120/ 2×180 + pad saver	2 608 901 667




## EXTEND YOUR BACKING PAD'S LIFETIME

### Pad Savers for Random Orbital Sanders

For more details visit [bosch-professional.com](https://www.bosch-professional.com)

Available for all diameters



# EXPERT M480 SANDING NETS FOR WOOD, PAINT, AND DRYWALL



Measurements	Grit	PQ	Part Number
93×93 mm	80	5	2 608 900 716
	100	5	2 608 900 717
	120	5	2 608 900 718
	150	5	2 608 900 719
	180	5	2 608 900 720
	220	5	2 608 900 721
	240	5	2 608 900 722
	320	5	2 608 900 723
	400	5	2 608 900 724

## Set

Measurements	Grit	Part Number
93×93 mm	2× 80 / 2× 120 / 2× 180	2 608 901 204



Measurements	Grit	PQ	Part Number
100×150 mm	80	10	2 608 900 725
		50	2 608 901 623
	100	10	2 608 900 726
		120	10
	150	50	2 608 901 624
		10	2 608 900 728
	180	10	2 608 900 729
		50	2 608 901 625
	220	10	2 608 900 730
		240	10
	320	50	2 608 901 626
		10	2 608 900 732
	400	10	2 608 900 733

## Set

Measurements	Grit	Part Number
100×150 mm	4× 80 / 3× 120 / 3× 180	2 608 901 208

## EXTEND YOUR BACKING PAD'S LIFETIME

### Pad Savers from Bosch

For more details visit [bosch-professional.com](http://bosch-professional.com)



Available for most sizes





Measurements	Grit	PQ	Part Number
80 × 133 mm	80	10	2 608 900 734
		50	2 608 901 631
	100	10	2 608 900 735
		50	2 608 901 632
	120	10	2 608 900 736
		50	2 608 901 633
	150	10	2 608 900 737
		50	2 608 901 634
	180	10	2 608 900 738
		50	2 608 901 633
	220	10	2 608 900 739
		50	2 608 901 634
	240	10	2 608 900 740
		50	2 608 901 634
	320	10	2 608 900 741
		50	2 608 901 634
400	10	2 608 900 742	
	50	2 608 901 634	
93 × 186 mm	80	10	2 608 900 743
		50	2 608 900 752
	100	10	2 608 900 744
		50	2 608 900 753
	120	10	2 608 900 745
		50	2 608 900 754
	150	10	2 608 900 746
		50	2 608 900 755
	180	10	2 608 900 747
		50	2 608 900 756
	220	10	2 608 900 748
		50	2 608 900 757
	240	10	2 608 900 749
		50	2 608 900 758
	320	10	2 608 900 750
		50	2 608 900 759
400	10	2 608 900 751	
	50	2 608 900 760	
115 × 107 mm	80	10	2 608 901 690
		50	2 608 901 627
	120	10	2 608 901 691
		50	2 608 901 628
	180	10	2 608 901 692
		50	2 608 901 629
240	10	2 608 901 693	
	50	2 608 901 630	
115 × 230 mm	80	10	2 608 900 761
		50	2 608 900 770
	100	10	2 608 900 762
		50	2 608 900 771
	120	10	2 608 900 763
		50	2 608 900 772
	150	10	2 608 900 764
		50	2 608 900 773
	180	10	2 608 900 765
		50	2 608 621 274
	220	10	2 608 900 766
		50	2 608 900 773
240	10	2 608 900 767	
	50	2 608 621 276	
320	10	2 608 900 768	
	50	2 608 900 774	
400	10	2 608 900 769	
	50	2 608 900 775	

PQ = Pack Quantity



## Sets

Measurements	Grit	Part Number
80 × 133 mm	4 × 80 / 3 × 120 / 3 × 180	2 608 901 205
93 × 186 mm	4 × 80 / 3 × 120 / 3 × 180	2 608 901 206
115 × 107 mm	4 × 80 / 3 × 120 / 3 × 180	2 608 901 666
115 × 230 mm	4 × 80 / 3 × 120 / 3 × 180	2 608 901 207



Measurements	Grit	PQ	Part Number
93 mm × 5 m	80	1	2 608 900 776
	100	1	2 608 900 777
	120	1	2 608 900 778
	150	1	2 608 900 779
	180	1	2 608 900 780
	220	1	2 608 900 781
	240	1	2 608 900 782
	320	1	2 608 900 783
	400	1	2 608 900 784
	115 mm × 5 m	80	1
100		1	2 608 900 786
120		1	2 608 900 787
150		1	2 608 900 788
180		1	2 608 900 789
220		1	2 608 900 790
240		1	2 608 900 791
320		1	2 608 900 792
400		1	2 608 900 793

## M480 Dual Density Sanding Block

3-in-1 sanding flat surfaces, curves, and profiles with M480 sandpaper (80 × 133 mm)


Suitable for wood, paint and drywall



Description	Grit	Part Number
5 pcs	2 × 80 / 2 × 120 / 1 × 180 + Dual Density Block	2 608 901 635

# LONG LIFE SANDING IN MULTIPLE MATERIALS


## EXPERT 0780 Foil Sanding Discs




Durability and no swirl marks thanks to Bosch Ceramic Technology

Foil backing for a high material removal rate and great finish

OneFit hole pattern fits all standard sanding pads






Diameter	Grit	PQ	Part Number
125 mm	60	1 (x50)	2 608 902 416
		6	2 608 902 399
		50	2 608 902 408
	80	1 (x50)	2 608 902 417
		6	2 608 902 400
		50	2 608 902 409
	120	1 (x50)	2 608 902 418
		6	2 608 902 401
		50	2 608 902 410
	150	1 (x50)	2 608 902 419
		6	2 608 902 402
		50	2 608 902 411
180	1 (x50)	2 608 902 420	
	6	2 608 902 403	
	50	2 608 902 412	
240	1 (x50)	2 608 902 421	
	6	2 608 902 404	
	50	2 608 902 413	
320	1 (x50)	2 608 902 422	
	6	2 608 902 405	
	50	2 608 902 414	
400	1 (x50)	2 608 902 423	
	6	2 608 902 406	
	50	2 608 902 415	

## Sets

Diameter	Grit	Part Number
9 pcs 125 mm	3× 80 / 3× 120 / 3× 180	2 608 902 407
55 pcs 125 mm	5× 60 / 15× 80 / 15× 120 / 15× 180 / 5× 240	2 608 902 429



Diameter	Grit	PQ	Part Number
150 mm	60	1 (x50)	2 608 902 457
		6	2 608 902 430
		50	2 608 902 449
	80	1 (x50)	2 608 902 458
		6	2 608 902 441
		50	2 608 902 450
	120	1 (x50)	2 608 902 459
		6	2 608 902 442
		50	2 608 902 451
	150	1 (x50)	2 608 902 460
		6	2 608 902 443
		50	2 608 902 452
180	1 (x50)	2 608 902 461	
	6	2 608 902 444	
	50	2 608 902 453	
240	1 (x50)	2 608 902 462	
	6	2 608 902 445	
	50	2 608 902 454	
320	1 (x50)	2 608 902 463	
	6	2 608 902 446	
	50	2 608 902 455	
400	1 (x50)	2 608 902 464	
	6	2 608 902 447	
	50	2 608 902 456	

## Sets


Diameter	Grit	Part Number
9 pcs 150 mm	3× 80 / 3× 120 / 3× 180	2 608 902 448
55 pcs 150 mm	5× 60 / 15× 80 / 15× 120 / 15× 180 / 5× 240	2 608 902 470

PQ = Pack Quantity



EXPERT Sanding | 45


# EXPERT C470 SANDING DISCS FOR WOOD AND PAINT



Diameter	Grit	PQ	Part Number
125 mm	40	5	2 608 901 092
		50	2 608 901 124
	60	5	2 608 901 093
		50	2 608 901 125
	80	5	2 608 901 094
		50	2 608 901 126
	100	5	2 608 901 095
		50	2 608 901 127
	120	5	2 608 901 096
		50	2 608 901 128
	150	50	2 608 901 129
	180	5	2 608 901 097
		50	2 608 901 130
	220	50	2 608 901 131
	240	5	2 608 901 098
		50	2 608 901 132
	320	5	2 608 901 099
		50	2 608 901 133
400	5	2 608 901 100	
	50	2 608 901 134	
150 mm	40	5	2 608 901 102
		50	2 608 901 135
	60	5	2 608 901 103
		50	2 608 901 136
	80	5	2 608 901 104
		50	2 608 901 137
	100	5	2 608 901 105
		50	2 608 901 138
	120	5	2 608 901 106
		50	2 608 901 139
	150	50	2 608 901 140
	180	5	2 608 901 107
		50	2 608 901 141
	220	50	2 608 901 142
	240	5	2 608 901 108
		50	2 608 901 143
	320	5	2 608 901 109
		50	2 608 901 144
400	5	2 608 901 110	
	50	2 608 901 145	

## Sets


Diameter	Grit	Part Number
125 mm	2× 60/2× 120/ 2× 240	2 608 901 101
150 mm	2× 60/2× 120/ 2× 240	2 608 901 111




Diameter	Grit	PQ	Part Number	
115 mm	40	5	2 608 900 794	
	60	5	2 608 900 795	
	80	5	2 608 900 796	
	120	5	2 608 900 797	
	180	5	2 608 900 798	
	240	5	2 608 900 799	
	320	5	2 608 900 800	
	400	5	2 608 900 801	
	125 mm	40	5	2 608 900 803
			50	2 608 900 908
60		5	2 608 900 804	
		50	2 608 900 909	
80		5	2 608 900 805	
		50	2 608 900 910	
100		5	2 608 900 806	
		50	2 608 900 911	
120		5	2 608 900 807	
		50	2 608 900 912	
150	50	2 608 901 120		
180	5	2 608 900 808		
	50	2 608 900 913		
220	50	2 608 901 121		
240	5	2 608 900 809		
	50	2 608 900 914		
320	5	2 608 900 810		
	50	2 608 900 915		
400	5	2 608 900 811		
	50	2 608 900 916		

## Sets

Diameter	Grit	Part Number
115 mm	2× 60/2× 120/ 2× 240	2 608 900 802
125 mm	2× 60/2× 120/ 2× 240	2 608 900 812







Diameter	Grit	PQ	Part Number
150 mm	40	5	2 608 900 813
		50	2 608 900 917
	60	5	2 608 900 814
		50	2 608 900 918
	80	5	2 608 900 815
		50	2 608 900 919
	100	5	2 608 900 816
		50	2 608 900 920
	120	5	2 608 900 817
		50	2 608 900 921
	150	50	2 608 901 122
	180	5	2 608 900 818
		50	2 608 900 922
	220	50	2 608 901 123
	240	5	2 608 900 819
		50	2 608 900 923
	320	5	2 608 900 820
		50	2 608 900 924
400	5	2 608 900 821	
	50	2 608 900 925	

## Set

Diameter	Grit	Part Number
150 mm	2× 60 / 2× 120 / 2× 240	2 608 900 822



Diameter	Grit	PQ	Part Number
125 mm	40	50	2 608 900 951
		50	2 608 900 952
		50	2 608 900 953
		50	2 608 901 154
		50	2 608 900 954
		50	2 608 900 955
		50	2 608 900 956
		50	2 608 901 155
		50	2 608 901 156



Diameter	Grit	PQ	Part Number
225 mm	40	5	2 608 901 671
		25	2 608 901 146
	60	1	2 608 901 015
		25	2 608 901 147
	80	5	2 608 901 672
		25	2 608 901 148
	100	25	2 608 901 149
	120	5	2 608 901 673
		25	2 608 901 150
	150	25	2 608 901 151
	180	5	2 608 901 674
		25	2 608 901 152
	220	25	2 608 901 153

## Set

Diameter	Grit	Part Number
225 mm	1× 40 / 1× 80 / 2× 120 / 2× 180	2 608 901 677




Measurements	Grit	PQ	Part Number
93×93 mm	40	5	2 608 900 823
		50	2 608 900 926
	60	5	2 608 900 824
		50	2 608 900 927
	80	5	2 608 900 825
		50	2 608 900 928
	100	5	2 608 900 826
		50	2 608 900 929
	120	5	2 608 900 827
		50	2 608 900 930
	180	5	2 608 900 828
		50	2 608 900 931
	240	5	2 608 900 829
		50	2 608 900 932
	320	5	2 608 900 830
		50	2 608 900 933
	400	5	2 608 900 831
		50	2 608 900 934

## Set

Measurements	Grit	Part Number
93×93 mm	2× 60 / 2× 120 / 2× 240	2 608 900 832

PQ = Pack Quantity


# EXPERT C470 SANDING SHEETS FOR WOOD AND PAINT



Measurements	Grit	PQ	Part Number
93 × 62 × 102 mm	40	10	2 608 900 886
		50	2 608 901 646
	60	10	2 608 901 652
		50	2 608 901 647
	80	10	2 608 900 887
		50	2 608 901 648
	120	10	2 608 900 888
		50	2 608 901 649
	180	10	2 608 900 889
		50	2 608 901 650
	240	10	2 608 901 653
		50	2 608 901 651

## Set

Measurements	Grit	Part Number
93 × 62 × 102 mm	4 × 60 / 4 × 120 / 2 × 180	2 608 901 676



Measurements	Grit	PQ	Part Number
100 × 150 mm	40	10	2 608 901 114
		50	2 608 901 640
	60	10	2 608 901 115
		50	2 608 901 641
	80	10	2 608 901 116
		50	2 608 901 642
	120	10	2 608 901 117
		50	2 608 901 643
	180	10	2 608 901 118
		50	2 608 901 644
	240	10	2 608 901 119
		50	2 608 901 645
	320	10	2 608 901 166
		400	10

## Set

Measurements	Grit	Part Number
100 × 150 mm	4 × 60 / 4 × 120 / 2 × 180	2 608 901 675



Measurements	Grit	PQ	Part Number
80 × 133 mm	40	10	2 608 900 877
		50	2 608 901 660
	60	10	2 608 900 878
		50	2 608 901 661
	80	10	2 608 900 879
		50	2 608 901 662
	100	10	2 608 900 880
		120	10
	120	50	2 608 901 663
		180	10
	180	50	2 608 901 664
		240	10
	240	50	2 608 901 665
		320	10
	400	10	2 608 900 885
		93 × 186 mm	40
50	2 608 900 935		
60	10	2 608 900 854	
	50	2 608 900 936	
80	10	2 608 900 855	
	50	2 608 900 937	
100	10	2 608 900 874	
	50	2 608 900 938	
120	10	2 608 900 856	
	50	2 608 900 939	
180	10	2 608 900 857	
	50	2 608 900 940	
240	10	2 608 900 858	
	320	10	2 608 900 870
400	10	2 608 900 859	
	50	2 608 900 941	
93 × 230 mm	40	10	2 608 900 833
		60	10
	60	10	2 608 900 835
		100	10
	100	10	2 608 900 836
		180	10
	120	10	2 608 900 838
		240	10
	180	10	2 608 900 872
		400	10

## Sets

Measurements	Grit	Part Number
80 × 133 mm	4 × 60 / 4 × 120 / 2 × 180	2 608 901 670
93 × 230 mm	3 × 60 / 4 × 80 / 3 × 120	2 608 901 112





Measurements	Grit	PQ	Part Number
115×107 mm	40	10	2 608 900 890
		50	2 608 901 654
	60	10	2 608 900 891
		50	2 608 901 655
	80	10	2 608 900 892
		50	2 608 901 656
	120	10	2 608 900 893
		50	2 608 901 657
	180	10	2 608 900 894
		50	2 608 901 658
	240	10	2 608 900 895
		50	2 608 901 659

## Sets


Measurements	Grit	Part Number
115×107 mm	4× 60 / 4× 120 / 2× 180	2 608 901 668
	2× 40 / 2× 60 / 2× 80 / 2× 120 / 2× 180	2 608 901 113



Measurements	Grit	PQ	Part Number
93×230 mm	40	10	2 608 900 840
		60	2 608 900 841
	80	10	2 608 900 842
		100	2 608 900 873
	120	10	2 608 900 843
		180	2 608 900 844
	240	10	2 608 900 845
		320	10



Measurements	Grit	PQ	Part Number
115×280 mm	40	10	2 608 605 246
		60	2 608 605 247
	80	10	2 608 605 248
		100	2 608 605 968
	120	10	2 608 605 249
		180	2 608 605 250
	240	10	2 608 605 251



Measurements	Grit	PQ	Part Number
115×230 mm	40	10	2 608 900 860
		50	2 608 900 942
	60	10	2 608 900 861
		50	2 608 900 943
	80	10	2 608 900 862
		50	2 608 900 944
	100	10	2 608 900 875
		50	2 608 900 945
	120	10	2 608 900 863
		50	2 608 900 946
	180	10	2 608 900 864
		50	2 608 900 947
	240	10	2 608 900 865
		50	2 608 900 948
	320	10	2 608 900 868
		50	2 608 900 949
400	10	2 608 900 866	
	50	2 608 900 950	
115×280 mm	40	10	2 608 900 846
		60	2 608 900 847
	80	10	2 608 900 848
		100	2 608 900 876
	120	10	2 608 900 849
		180	2 608 900 850
	240	10	2 608 900 851
		320	2 608 900 869
400	10	2 608 900 852	

PQ = Pack Quantity

EXPERT Sanding | 49

# EXPERT C470 SANDING SHEETS FOR WOOD AND PAINT FOR HAND SANDING



Measurements	Grit	PQ	Part Number
93 mm × 5 m	40	1	2 608 900 902
	60	1	2 608 900 903
	80	1	2 608 900 904
	120	1	2 608 900 905
	180	1	2 608 900 906
	240	1	2 608 900 907
	93 mm × 50 m	40	1
60		1	2 608 900 969
80		1	2 608 900 970
100		1	2 608 900 971
120		1	2 608 900 972
180		1	2 608 900 973
240		1	2 608 900 974
320		1	2 608 900 975
400		1	2 608 900 976
115 mm × 5 m		40	1
	60	1	2 608 900 897
	80	1	2 608 900 898
	120	1	2 608 900 899
	180	1	2 608 900 900
	240	1	2 608 900 901
	115 mm × 50 m	40	1
60		1	2 608 900 978
80		1	2 608 900 979
100		1	2 608 900 980
120		1	2 608 900 981
180		1	2 608 900 982
240		1	2 608 900 983
320		1	2 608 900 984
400		1	2 608 900 985



Measurements	Grit	PQ	Part Number
230 × 280 mm	40	1	2 608 900 957
	60	1	2 608 900 958
	80	1	2 608 900 959
	100	1	2 608 900 960
	120	1	2 608 900 961
	150	1	2 608 900 962
	180	1	2 608 900 963
	220	1	2 608 900 964
	240	1	2 608 900 965
	320	1	2 608 900 966
	400	1	2 608 900 967


PQ = Pack Quantity



50 | EXPERT Sanding




## EXPERT MULTIHOLE SANDING PAD



**Suitable for**  
GET 55-125, GEX 34-125,  
3M, Dynabrade, Mirka,  
Rupes

Diameter	Grit	PQ	Part Number
125 mm	Soft	1	2 608 900 003
	Medium	1	2 608 900 004
	Hard	1	2 608 900 005



**Suitable for**  
GET 75-150, GEX 34-150,  
GEX 40-150, 3M, DeWalt,  
Dynabrade, Festool,  
Makita, Mirka, Rupes

Diameter	Grit	PQ	Part Number
150 mm	Soft	1	2 608 900 006
	Medium	1	2 608 900 007
	Hard	1	2 608 900 008



**Suitable for**  
GEX 125-150 AVE,  
GEX 150 AC,  
GEX 150 Turbo

Diameter	Grit	PQ	Part Number
150 mm	Soft	1	2 608 900 009
	Medium	1	2 608 900 010
	Hard	1	2 608 900 011




**Suitable for**  
GEX 18V-150-3

Diameter	Grit	PQ	Part Number
150 mm	Medium	1	2 608 001 115

# HIGH SPEED GRINDING METAL AND STAINLESS STEEL

EXPERT R781 Prisma Discs for Metal and  
EXPERT R782 Prisma Discs for Stainless Steel



**PRISMA  
TECHNOLOGY**




Fast stock removal with Bosch Prisma Ceramic technology

Cooling top coat lets you grind faster without overheating

Cambered design ensures disc stays flat for maximum performance


Stays faster for longer due to self-sharpening effect



\*vs. Bosch R444 fibre disc


## BACKING PADS FOR FIBRE SANDING DISCS

Choose the right backing pad for more effective performance



**Soft  
Pads**

Ideal for fine grit sanding  
(P60 and finer)



**Medium  
Pads**

Ideal for fine medium sanding  
(P36 to P80)



**Hard  
Pads**

Ideal for rough grit sanding  
(P50 and rougher)

For more details visit [bosch-professional.com](https://www.bosch-professional.com)


## EXPERT R781 Prisma Fibre Discs for Metal



**XLOCK**

Diameter	Grit	PQ	Part Number
115 mm	36	5	2 608 621 779
		25	2 608 621 791
	60	5	2 608 621 780
		25	2 608 621 792
	80	5	2 608 621 781
		25	2 608 621 793
125 mm	36	5	2 608 621 782
		25	2 608 621 794
	60	5	2 608 621 783
		25	2 608 621 795
	80	5	2 608 621 784
		25	2 608 621 796

## EXPERT R782 Prisma Fibre Discs for Stainless Steel




**XLOCK**

Diameter	Grit	PQ	Part Number
115 mm	36	5	2 608 621 804
		25	2 608 621 820
	60	5	2 608 621 805
		25	2 608 621 821
	80	5	2 608 621 806
		25	2 608 621 822
120	5	2 608 621 807	
	25	2 608 621 823	
125 mm	36	5	2 608 621 808
		25	2 608 621 824
	60	5	2 608 621 809
		25	2 608 621 825
	80	5	2 608 621 810
		25	2 608 621 826
120	5	2 608 621 811	
	25	2 608 621 827	



Diameter	Grit	PQ	Part Number
100 mm	36	25	2 608 621 788
		60	2 608 621 789
		80	2 608 621 790
180 mm	36	25	2 608 621 797
		60	2 608 621 798
		80	2 608 621 799



Diameter	Grit	PQ	Part Number
100 mm	36	25	2 608 621 816
		60	2 608 621 817
		80	2 608 621 818
		120	2 608 621 819
		180 mm	36
180 mm	60	25	2 608 621 829
		80	2 608 621 830
		120	2 608 621 831

PQ = Pack Quantity



## EXPERT HANDLE VIBRATION CONTROL FOR ANGLE GRINDERS

Fitting	Dimension	Part Number
M10	169 x 69 mm	2 608 900 000
M14	169 x 69 mm	2 608 900 001

EXPERT Sanding | 53

# EXPERT SURFACE CONDITIONING MATERIAL SANDING

## N470 Sanding Belts




Measurements	Grit	PQ	Part Number
40×760 mm	Coarse	10	2 608 901 254
	Medium	10	2 608 901 255
	Fine	10	2 608 901 256

## N470 Sanding Sleeves



Measurements	Grit	PQ	Part Number
100×290 mm	Coarse	10	2 608 901 257
	Medium	10	2 608 901 258
	Fine	10	2 608 901 259

## N475 SCM Flap Discs



**XLOCK**

Diameter	Grit	PQ	Part Number
115 mm	Coarse	1	2 608 901 470
	Medium	1	2 608 901 471
	Very Fine	1	2 608 901 472
125 mm	Coarse	1	2 608 901 473
	Medium	1	2 608 901 474
	Very Fine	1	2 608 901 475

## N477 SCM Discs


with removable center hole



Diameter	Grit	PQ	Part Number
100 mm	Extra Coarse	1	2 608 901 260
	Coarse	1	2 608 901 261
	Medium	1	2 608 901 262
	Very Fine	1	2 608 901 263
115 mm	Extra Coarse	1	2 608 901 264
	Coarse	1	2 608 901 265
	Medium	1	2 608 901 266
	Very Fine	1	2 608 901 267
125 mm	Extra Coarse	1	2 608 901 268
	Coarse	1	2 608 901 269
	Medium	1	2 608 901 270
	Very Fine	1	2 608 901 271

## SCM BACKING PAD FOR SMALL ANGLE GRINDERS

Ideal for use with  
SCM fleece discs



Available  
for X-Lock  
and M14

For more details visit  
[bosch-professional.com](http://bosch-professional.com)




# EXPERT SANDING FLEECE

## N880 Fleece Pads



Measurements	Grit	PQ	Part Number
115 × 140 mm	Coarse ALOx	2	2 608 901 218
	Medium SiC	2	2 608 901 219
	Very Fine ALOx	2	2 608 901 220
	General Purpose	2	2 608 901 221
152 × 229 mm	Extra Cut S	1	2 608 901 210
	Cleaning white	1	2 608 901 211
	Coarse ALOx	1	2 608 901 212
	Medium SiC	1	2 608 901 213
	Medium ALOx	1	2 608 901 214
	Very Fine ALOx	1	2 608 901 215
	Ultra Fine SiC	1	2 608 901 216
	General Purpose	1	2 608 901 217

## N880 Fleece Rolls



Measurements	Grit	PQ	Part Number
100 mm × 10 m	Coarse ALOx	1	2 608 901 222
	Medium SiC	1	2 608 901 223
	Very Fine ALOx	1	2 608 901 224
	General Purpose	1	2 608 901 225
115 mm × 10 m	Cleaning white	1	2 608 901 226
	Coarse ALOx	1	2 608 901 227
	Medium SiC	1	2 608 901 228
	Medium ALOx	1	2 608 901 229
	Very Fine ALOx	1	2 608 901 230
	Ultra Fine SiC	1	2 608 901 231
	General Purpose	1	2 608 901 232
	150 mm × 10 m	Cleaning white	1
Coarse ALOx		1	2 608 901 234
Medium SiC		1	2 608 901 235
Medium ALOx		1	2 608 901 236
Very Fine ALOx		1	2 608 901 237
Ultra Fine SiC		1	2 608 901 238
General Purpose		1	2 608 901 239

## N880 Fleece Discs

for random orbital sanders and suitable for angle grinders



Diameter	Grit	PQ	Part Number
125 mm	Cleaning white	1	2 608 901 240
	Coarse ALOx	1	2 608 901 241
		5	2 608 901 385
	Medium SiC	1	2 608 901 242
		5	2 608 901 386
	Medium ALOx	1	2 608 901 243
	Very Fine ALOx	1	2 608 901 244
	Ultra Fine SiC	1	2 608 901 245
		5	2 608 901 387
	General Purpose	1	2 608 901 246


Diameter	Grit	PQ	Part Number
150 mm	Cleaning white	1	2 608 901 247
	Coarse ALOx	1	2 608 901 248
		5	2 608 901 388
	Medium SiC	1	2 608 901 249
		5	2 608 901 389
	Medium ALOx	1	2 608 901 250
	Very Fine ALOx	1	2 608 901 251
	Ultra Fine SiC	1	2 608 901 252
		5	2 608 901 390
	General Purpose	1	2 608 901 253

PQ = Pack Quantity

EXPERT Sanding | 55

# LONG LIFE SANDING IN MULTIPLE MATERIALS

## EXPERT W480 Web 1/4 Hand Sanding Sheets




Innovative Flexi-Web backing for flexibility and resistance to tear

Superior abrasive grit on both sides for efficient sanding

Flexible folding line for reaching tight spots with ease

Water resistant and washable for long-lasting performance



Measurements	Grit	PQ	Part Number
115 × 140 mm	120	2	2 608 902 381
		10	2 608 902 385
	180	2	2 608 902 382
		10	2 608 902 386
	240	2	2 608 902 383
		10	2 608 902 387
	320	2	2 608 902 384
		10	2 608 902 388

### Sets

Description	Grit	Part Number
6 pcs 115 × 140 mm	2 × 120 / 2 × 180 / 1 × 240 / 1 × 320	2 608 902 431
9 pcs 115 × 140 mm	3 × 120 / 3 × 180 / 2 × 240 / 1 × 320	2 608 902 432





# EXPERT SANDING BLOCKS AND PADS

## S470 Combi Sanding Blocks

Lasts up to 5× longer than Bosch C420 sandpaper

Suitable for paint on wood, softwood



Grit	PQ	Part Number
Medium	1 (×20)	2 608 901 921
Fine	1 (×20)	2 608 901 922
	1 (×50)	2 608 901 168
Super fine	1 (×20)	2 608 901 923

### Set

Description	Grit	Part Number
3 pcs	Medium Fine Super fine	2 608 901 174

## S473 Flex Sanding Pads

Lasts up to 5× longer than Bosch C420 sandpaper

Suitable for paint on wood, softwood



Grit	PQ	Part Number
Medium	1 (×20)	2 608 621 924
	1 (×50)	2 608 901 171
Fine	1 (×20)	2 608 621 925
	1 (×50)	2 608 901 172
Super fine	1 (×20)	2 608 621 926
	1 (×50)	2 608 901 173

### Set

Description	Grit	Part Number
3 pcs	Medium Fine Super fine	2 608 901 176

## S471 Standard Sanding Blocks

Lasts up to 5× longer than Bosch C420 sandpaper

Suitable for paint on wood, softwood



Grit	PQ	Part Number
Coarse	1 (×20)	2 608 901 678
Medium	1 (×20)	2 608 901 177
	1 (×50)	2 608 901 169
Fine	1 (×20)	2 608 901 178
	1 (×50)	2 608 901 170
Super fine	1 (×20)	2 608 901 179
	1 (×50)	2 608 901 180

### Set


Description	Grit	Part Number
3 pcs	Medium Fine Super fine	2 608 901 175

PQ = Pack Quantity

EXPERT Sanding Blocks and Pads | 57

# PRECISION CUTTING FOR A VARIETY OF APPLICATIONS


## Circular Saw Blades



 **BOSCH**

expert  Wood

**BOSCH**

Ø 165 x 1.5/1,0 x 20 mm  
48  HW  
n max 8500 min<sup>-1</sup>  
2 608 644 509

Made in Italy



**CARBIDE  
TECHNOLOGY**

Universal complete range for the most common applications with best cutting result

High precision and exceptionally durable saw blade tip with Bosch Carbide Technology

Friction reduction and anti-corrosive ProteQtion coating

Optimized saw blades range available for cordless saws

# SELECTED CIRCULAR SAW BLADES FROM THE EXPERT RANGE



## Expert for Wood

Diameter	Bore hole	Teeth	Part Number
160 mm	20 mm	48	2 608 644 018
216 mm	30 mm	48	2 608 642 497
254 mm	30 mm	60	2 608 642 530
305 mm	30 mm	72	2 608 642 531



## Expert for Wood (Cordless)

Diameter	Bore hole	Teeth	Part Number
140 mm	20 mm	42	2 608 644 500
165 mm	20 mm	48	2 608 644 509
190 mm	30 mm	24	2 608 644 513
216 mm	30 mm	48	2 608 644 519



## Expert for Steel

Diameter	Bore hole	Teeth	Part Number
160 mm	20 mm	30	2 608 643 054
210 mm	30 mm	48	2 608 643 057
305 mm	25.4 mm	60	2 608 643 060
305 mm	25.4 mm	80	2 608 643 061



## Expert for Fiber Cement

Diameter	Bore hole	Teeth	Part Number
160 mm	20 mm	4	2 608 644 121
165 mm	20 mm	4	2 608 644 122
190 mm	30 mm	4	2 608 644 125
250 mm	30 mm	6	2 608 644 349



You can find more information about the circular saw blade range at [bosch-professional.com](https://www.bosch-professional.com)



# FIND OUT MORE ABOUT OTHER **EXPERT** PRODUCTS



[bosch-professional.com](https://bosch-professional.com)

## **EXPERT**

**ACCESSORY RANGE**

**Robert Bosch Limited**  
Power Tools Division  
PO Box 98, Uxbridge  
Middlesex, UB9 5HN  
UNITED KINGDOM  
[boschpowertools.co.uk](https://boschpowertools.co.uk)

en – PT-AC/MKB – Printed by Scintilla AG, Widistrasse 9, 4528 Zuchwil, SWITZERLAND.  
Subject to technical alterations. Liability for printing errors is not accepted.