



TESTIT. SHAREIT. KEEPIT.



Bosch Professional

THE 18V BITURBO TEST

Create your video now.

WELCOME TO THE 18V BITURBO TEST

Your BITURBO tool is here! Test it, tell us what you think, and capture it all on camera. As long as your video meets our terms and conditions, the tool is yours to keep - free of charge. Follow these simple steps to make BITURBO yours:

GETTING STARTED


TOOLS TO TEST

SAFETY FIRST

CREATE YOUR VIDEO

SHARE YOUR VIDEO

SUPPORT



GETTING **STARTED**

To keep the tool, you must upload your video within 4 weeks after receiving the package. That should be plenty of time for you to prepare - and these PRO tips will help make things even easier.



GET TO KNOW THE TOOLS & ACCESSORIES

Become a BITURBO expert. Read up on the tool and accessories - and get familiar with the specifications and special features in advance.





GKS 18V-68 GC



GCM 18V-216 DC



GDS 18V-1000



GBH 18V-34 CF



GBH 18V-45 C



GWX 18V-15 PSC



TURBO



BRUSHLESS





All about the accessories:





PLAN YOUR TEST IN ADVANCE

Come up with an authentic test scenario for the tool. Prepare your workshop or jobsite for the shoot and make sure you have all the materials (timber, metal, concrete, cabinets, etc.) necessary to really put the BITURBO tool to the test.



CHECK THE SAFETY REQUIREMENTS

Check the safety requirements on the next page..

TOOLS TO TEST



BITURBO BRUSHLESS CIRC SAW

GKS 18V-68 GC

BITURBO BRUSHLESS MOTOR:

Maximum cordless cutting performance, fully equal to corded 1,800 W due to new BITURBO Brushless technology.

POWER, PERFORMANCE:

68mm cutting cpacity and plunge feature. Extended runtime with ECO mode and 6 speed settings.

SAFETY, ERGONOMICS:

NEW front D-handle for safe, easy cuts on 45 angle & 0.5sec braking system.



| Saw blade size | 184mm (7-1/4") |
|--------------------|----------------|
| Bore size | 20mm |
| Bevel capacity | 50° |
| Depth adjustment | Y – standard |
| Cutting capacity | 68mm |
| Weight w/o battery | 4.0kg |
| Dimensions (LxWxH) | 397x211x289 |















WORLD'S MOST POWERFUL CORDLESS SDS PLUS HAMMER*

GBH 18V-34 CF

PARAMOUNT PERFORMANCE WITH 5.8 J

The most powerful cordless SDS plus hammer in its range for tough jobs in concrete delivering up to 950W of power.

POWER, PERFORMANCE:

Soft start for precise chiselling and 3 different working modes to ensure the right setting for any job.

SMARTEST SDS PLUS HAMMER:

Real-time tool status via user interface, individual adjustment by Bluetooth via Bosch Toolbox app.

| | BOSCH Parketonia (CC) |
|----|-----------------------------|
| | TURBO |
| :s | |
| .5 | Boschhammer Pro CORE 18V |

| Equivalent corded input power | 950W |
|---------------------------------------|---------------------------|
| Max. Impact energy | 5.8J |
| Rated speed | 500rpm |
| Impact rate | 2,900bpm |
| Possible drilling diameter (Concrete) | 8-32mm (optimal: 12-30mm) |
| Weight excl. battery | 4.9kg |
| Vibrations (Drilling Chiseling) | 11m/s² 11m/s² |





THE WORLD'S STRONGEST DRILL*

GSB 18V-150 C

WORLDS STRONGEST DRILL:

Delivers unrivalled power with 150Nm and 2,200 rpm maximizing your efficiency on the job site.

SWITCHABLE KICKBACK CONTROL:

Reduces the risk of sudden rotational torque reaction and therefore offers perfect tool control at any time.

• WORLD'S FIRST ELECTRONIC ANGLE DETECTION: Ensures always the right angle of long screws.



| Max. torque (max/hard/soft) | 150Nm / 100Nm / 84Nm |
|--------------------------------|-----------------------------|
| No-load speed (1st / 2nd gear) | 0 - 550 rpm / 0 - 2,200 rpm |
| Max. impact rate | 30,000 bpm |
| Max. drilling diameter in wood | 150mm |
| (Switchable) Kick-Back Control | yes |
| Electronic Angle Detection | yes |
| Connectivity module | yes |













70

TES:

BITURBO SDS MAX ROTARY HAMMER

GBH 18V-45C

• BITURBO BRUSHLESS MOTOR:

Delivering up to 1500W of power -INDUSTRIAL performance in cordless tools.

POWER, PERFORMANCE:

12.5J impact force with chisel lock-on feature.

SAFETY, ERGONOMICS:

KickBack Control for reduced hazard of sudden tool reactions and Soft Start EPC & ASC for a comfortable and precise work process.



| Impact energy | 12.5 J |
|-----------------------------------|---|
| Impact rate at rated speed | 0 - 2,740 bpm |
| Rated speed | 0 – 300 rpm |
| Weight excl. battery | 8 kg |
| Tool holder | SDS max |
| Equivalent to Corded Power | 1500W |
| Vibration (Drilling Chiselling) | 8.5m/s ² 7.5m/s ² |













BITURBO BRUSHLESS 1/2" HIGH TORQUE WRENCH

GDS 18V-1000

• BITURBO BRUSHLESS MOTOR:

Delivering up to 1,600Nm of torque -INDUSTRIAL performance in cordless tools.

POWER, PERFORMANCE:

Best performance for heavy duties with a tightening torque of 1,000 Nm and a breakaway torque of up to 1,600 Nm.

CONTROLLED POWER:

High versatility and controlled power due to 3-speed/torque settings.



| Max tightening torque | 1000Nm |
|------------------------|---------------------------------|
| Max Breakaway torque | 1600Nm |
| Speed settings | 3 |
| No load speed | 0-800 rpm/1.200 rpm/1.750 rpm |
| Impact rate | 0-1.600 bpm/2.400 bpm/2.600 bpm |
| Torque | 0-350 Nm/700 Nm/1000 Nm |
| Machine screw diameter | M10-M24 |











BITURBO 216MM DUAL BEVEL BRUSHLESS MITRE SAW

GCM 18V-216 DC

• BITURBO BRUSHLESS MOTOR:

Maximum cordless cutting performance fully equal to corded 1.600 W.

• INDUSTRY LEADING CUT SIZE:

70 x 312mm cutting capacity.

DUAL BEVEL:

Maximum performance with 47 degree left and right bevel.



| No-load Speed (RPM) | 2500 - 4500 1/min |
|---|------------------------------|
| Saw Blade Diameter | 216mm |
| Cutting Capacity 0° (Vertical) | 70 x 300mm |
| Cutting Capacity 0° (Horizontal) | 65 x 312mm |
| Cutting capacity 45° mitre | 65 x 21mm (L), 65 x 21mm (R) |
| Cutting capacity 45° bevel | 40 x 300 (L), 20 x 300 (R) |
| Miter Setting [L°/R°] Bevel Setting [L°/R°] | 52° / 60° 47 ° / 47° |











BITURBO 125MM X-LOCK PADDLE SWITCH GRINDER

GWX 18V-15 PSC

• BITURBO BRUSHLESS MOTOR:

Performance fully equal to corded 1,500W with Fast cutting and high material removal rate.

MARKETS SAFEST GRINDERS:

Enhanced user protection thanks to PROtection switch. super-fast X-Brake, and KickBack Control.

CUSTOM SETTINGS:

Individual speed setting adjustments with HMI and Bluetooth connectivity.



| Equivalent corded input power | 1,500W |
|-------------------------------|---------------------|
| Disc Diameter | 125mm |
| No-load speed | 3,400-9,800 rpm |
| AC change system | X-LOCK |
| Switch | non-lockable paddle |
| Cutting depth | 34mm |
| Weight w/o battery | 2.3kg |















SAFETY FIRST

BITURBO tools are extremely powerful and need to be handled with caution. Make sure you have the necessary safety gear for handling your tool, e.g. safety glasses, earplugs, etc.

SAFETY REQUIREMENTS

Here are a few important safety requirements that you need to keep in mind when using the tool in your video. We have provided some basic safety equipment along with the BITURBO tool, but you are expected to follow the recommended safety requirements in full as described in the tool's user manual.



If you don't follow the safety guidelines, you will be obliged to remove the video from social media - and you will no longer be able to keep the tool!



CREATE **VIDEO** Ready to roll? Here are a few PRO tips for creating great video content:



DO

- Be honest and insightful: We're not looking for a sales pitch, we're looking for an expert review by a professional tradie. Choose a true test scenario and make it insightful: What do you like about BITURBO? How does it make hard work easier?
- Show the best angles:

Make sure viewers can clearly see your test up close in the video.

- Use the right format & licence-free music: Video length should be between 30 seconds and 5 minutes. If you use music, please make sure it is royalty-free.
- Use good lighting & sound: Make sure you and the tool are clearly visible. Do a sound-check before filming. A good location can make all the difference!
- Use a tripod (or cameraperson): Filming yourself is amateurish at best, and dangerous at worst! Ask a mate to do the filming for you.
- Show tools on their "sunny" side: Viewers should be able to see the Bosch logo and model name.



DON'T

- ... forget to wear your safety gear on film. PROs put safety first. Plus: It's a legal thing.
- ... multi-task while filming. Only talk to the camera before or after using the tool. It's safer for you and this way the noise of the tool won't prevent viewers from hearing what you have to say.
- ... film third-parties without their consent or let third-parties handle the tool.
- ... show tools from other power tool brands in your video.



You can create as many videos as you like!

SHARE YOUR VIDEO

Woohoo! You're ready to share? Then let's get down to business...

POST THE VIDEO TO YOUR SOCIAL MEDIA CHANNEL(S) WITHIN 4 WEEKS OF RECEIVING THE TOOL*:

- Use these hashtags so all participants can see your video: #BITURBOtest #boschprofessional
- Make sure your accounts are set to public so that your videos are viewable.
- Check out other videos and share, comment, like away!

AND TELL US WHERE YOU'VE POSTED! WITHIN 4 WEEKS OF RECEIVING THE TOOL, YOU MUST USE THE LINK PROVIDED IN OUR EMAIL TO SHARE YOUR VIDEO WITH US.



Clearly mark your video and/or post as an "advertisement" or "promotional video"

e guidelines of the respective platform provider must be strictly observed. If the participant does not comply with these lations and Bosch becomes aware of this, the participant shall be obliged to delete the posting immediately at the est of Bosch. Bosch shall also be entitled to exclude the participant from the promotion. In making the video, data protection regulations must also be observed. In particular, third parties must not be filmed





STEP

90

THAT'S

Ę

As long as you follow these simple steps and guidelines, the BITURBO tool is yours to keep.

FOR MORE INFORMATION

Pleas scan the QR code to learn more about the Bosch 18V BITURBO Test Campaign:

AUSTRALIA



NEW ZEALAND





FURTHER QUESTIONS? PLEASE CONTACT US

customerservice.pt@au.bosch.com Subject: BITURBO

HARD WORK MADE EASIER

QUALITY

Bosch power tools meet the strictest quality standards. We offer an increase of your warranty by up to 5 years, giving you the assurance that your tools are covered under warranty for 6 whole years.



Register your power tool, measuring tool, battery or charger online within 4 weeks of purchase and extend your warranty to 6 years!

*With online registration

SUSTAINABILITY

As part of the Bosch Group, Bosch Power Tools is a pioneer in climate protection. With more than 400 plants worldwide, Bosch has been carbon neutral since 2020.

INNOVATION

- DUST SOLUTIONS
- SAFETY SOLUTIONS
- X-LOCK SYSTEM
- BITURBO BRUSHLESS
- TOOLBOX APP











Robert Bosch (Australia) Pty. Ltd. 1555 Centre Road Clayton, VIC 3168 PH: +61 3 9541 5555 bosch-pt.com.au/au/en/

Robert Bosch (New Zealand) Pty. Ltd. PO Box 13324 Onehunga, Auckland 1643 PH: 0800 543 353 bosch-pt.co.nz/nz/en/